	Application No.	Applicant(s)
Notice of Allowability	10/789,546	KAYLANI ET AL.
	Examiner	Art Unit
	YOUNG T. TSE	2611
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed on 13 November 2007.		
2. The allowed claim(s) is/are <u>16-30</u> .		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority une</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> </ul>		•
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Thefar of Informal D	-44 A
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	5. Notice of Informal Pa	
2. In Notice of Dranperson's Patent Drawing Neview (P10-946)	6. ☐ Interview Summary Paper No./Mail Date	
Information Disclosure Statements (PTO/SB/08),     Paper No./Mail Date	7. 🛛 Examiner's Amendo	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.   Examiner's Stateme	nt of Reasons for Allowance
o. Diological Material	9.	·
	•	

10/789,546 Art Unit: 2611

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Robert Sokohl on Detember 17, 2007.

The application has been amended as follows:

In claim 16 (lines 6, 7 and 9) and claim 28 (lines 3, 7, 8, 16 and 18), "FIFO" has been changed to "FIFO memory".

In claim 17, line 2, "pulse trains comprises connecting" has been changed to "regularly occurring pulse trains comprises coupling".

In claim 17, line 5, "180" has been changed to "180°".

In claim 17 (line 4) and claim 23 (line 3), the phrase "phase shifted" has been deleted.

In claim 22, line 1, "the generating" has been changed to "generating".

2. The following is an examiner's statement of reasons for allowance: The prior art fails to show or suggest a method for synchronizing a regularly occurring pulse train in frequency to the average of a bunched pulse train (irregular interval) comprising: selecting one of a plurality of differently phase shifted regularly occurring pulse trains; emptying a FIFO memory at the frequency of the selected regularly occurring pulse

10/789,546

Art Unit: 2611

train; and changing the selected regularly occurring pulse train responsive to a phase selection signal so the selected regularly occurring pulse train is at the average frequency of the bunched pulse train.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to YOUNG T. TSE whose telephone number is (571) 272-3051. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mohammad H. Ghayour can be reached on (571) 272-3021. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

10/789,546

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

YOUNG T. TSE Primary Examiner Art Unit 2611